

WPC FUSE LIST

A-12697-1 Power Driver Board

| Fuse # | Value | Circuit |
|--------|----------------|--------------------|
| F101 | 2.5A, 250V, SB | Left Flipper |
| F102 | 2.5A, 250V, SB | Right Flipper |
| F103 | 3A, 250V, SB | Solenoids 25-28 |
| F104 | 3A, 250V, SB | Solenoids 9-16 |
| F105 | 3A, 250V, SB | Solenoids 1-8 |
| F106 | 5A, 250V, SB | G.I. 2 Wht-Vio |
| F107 | 5A, 250V, SB | G.I. 3 Wht-Yel |
| F108 | 5A, 250V, SB | G.I. 5 Wht-Grn |
| F109 | 5A, 250V, SB | G.I. 4 Wht-Orn |
| F110 | 5A, 250V, SB | G.I. 1 Wht-Brn |
| F111 | 5A, 250V, SB | Flasher Secondary |
| F112 | 5A, 250V, SB | Solenoid Secondary |
| F113 | 5A, 250V, SB | +5V Logic |
| F114 | 8A, 32V, NB | +18V Lamp Matrix |
| F115 | 3/4A, 250V, FB | +12V Switch Matrix |
| F116 | 3A, 250V, SB | +12V Secondary |

A-12739-1 Display Driver Board

| Fuse # | Value | Circuit |
|--------|----------------|----------|
| F301 | 3/8A, 250V, SB | Displays |

CAUTION

For continued protection against risk of fire, replace only with the same type of fuse having the same electrical ratings.

16-9182-1

WPC FUSE LIST

A-12697-1 Power Driver Board

| Fuse # | Value | Circuit |
|--------|----------------|--------------------|
| F101 | 2.5A, 250V, SB | Left Flipper |
| F102 | 2.5A, 250V, SB | Right Flipper |
| F103 | 3A, 250V, SB | Solenoids 25-28 |
| F104 | 3A, 250V, SB | Solenoids 9-16 |
| F105 | 3A, 250V, SB | Solenoids 1-8 |
| F106 | 5A, 250V, SB | G.I. 2 Wht-Vio |
| F107 | 5A, 250V, SB | G.I. 3 Wht-Yel |
| F108 | 5A, 250V, SB | G.I. 5 Wht-Grn |
| F109 | 5A, 250V, SB | G.I. 4 Wht-Orn |
| F110 | 5A, 250V, SB | G.I. 1 Wht-Brn |
| F111 | 5A, 250V, SB | Flasher Secondary |
| F112 | 5A, 250V, SB | Solenoid Secondary |
| F113 | 5A, 250V, SB | +5V Logic |
| F114 | 8A, 32V, NB | +18V Lamp Matrix |
| F115 | 3/4A, 250V, FB | +12V Switch Matrix |
| F116 | 3A, 250V, SB | +12V Secondary |

A-12738 Audio Board Ass'y

| Fuse # | Value | Circuit |
|--------|--------------|-----------------------------|
| F501 | 3A, 250V, SB | 18 Vac CT Gry Gry/Wht CT |
| F502 | 3A, 250V, SB | 18 Vac CT Gry/Grn |

A-14039 Dot Matrix Controller Ass'y

| Fuse # | Value | Circuit |
|--------|----------------|-------------|
| F601 | 3/8A, 250V, SB | 100 Vac Vio |
| F602 | 3/8A, 250V, SB | 100 Vac Vio |

CAUTION

For continued protection against risk of fire, replace only with the same type of fuse having the same electrical ratings.

16-9182-2

CAUTION

For continued protection against risk of fire, replace only with the same type of fuse having the same electrical ratings.

WPC FUSE LIST

A-12697-1 Power Driver Board

| Fuse # | Value | Circuit |
|---------------|----------------|--------------------|
| F101 | 2.5A, 250V, SB | Left Flipper |
| F102 | 2.5A, 250V, SB | Right Flipper |
| F103 | 3A, 250V, SB | Solenoids 25-28 |
| F104 | 3A, 250V, SB | Solenoids 9-16 |
| F105 | 3A, 250V, SB | Solenoids 1-8 |
| F106 | 5A, 250V, SB | G.I. 2 Wht-Vio |
| F107 | 5A, 250V, SB | G.I. 3 Wht-Yel |
| F108 | 5A, 250V, SB | G.I. 5 Wht-Grn |
| F109 | 5A, 250V, SB | G.I. 4 Wht-Orn |
| F110 | 5A, 250V, SB | G.I. 1 Wht-Brn |
| F111 | 5A, 250V, SB | Flasher Secondary |
| F112 | 5A, 250V, SB | Solenoid Secondary |
| F113 | 5A, 250V, SB | +5V Logic |
| F114 | 8A, 32V, NB | +18V Lamp Matrix |
| F115 | 3/4A, 250V, FB | +12V Switch Matrix |
| F116 | 3A, 250V, SB | +12V Secondary |

A-12738 Audio Board Ass'y

| Fuse # | Value | Circuit |
|---------------|--------------|----------------------------|
| F501 | 3A, 250V, SB | 18Vac CT Gry Gry/Wht CT |
| F502 | 3A, 250V, SB | 18Vac CT Gry/Grn |

A-14039 Dot Matrix Controller Ass'y

| Fuse # | Value | Circuit |
|---------------|----------------|----------------|
| F601 | 3/8A, 250V, SB | 100 Vac Vio |
| F602 | 3/8A, 250V, SB | 100 Vac Vio |

WPC FUSE LIST

CAUTION
For continued protection against risk of fire, replace only with the same type of fuse having the same electrical ratings.

A-12738- AUDIO BOARD ASS'Y

| Fuse # | Value | Circuit |
|--------|--------------|-----------------------------|
| F501 | 3A, 250V, SB | 18 Vac CT Gry Gry/Wht CT |
| F502 | 3A, 250V, SB | 18 Vac CT Gry/Grn |

A-12697-1 Power Driver Board

| Fuse # | Value | Circuit |
|--------|--------------|-----------------|
| F101 | 3A, 250V, SB | Lwr Left Flpr |
| F102 | 3A, 250V, SB | Lwr Right Flpr |
| F103 | 3A, 250V, SB | Solenoids 25-28 |
| F104 | 3A, 250V, SB | Solenoids 9-16 |
| F105 | 3A, 250V, SB | Solenoids 1-8 |
| F106 | 5A, 250V, SB | G.I. 2 Wht-Vio |
| F107 | 5A, 250V, SB | G.I. 3 Wht-Yel |
| F108 | 5A, 250V, SB | G.I. 5 Wht-Grn |

| Fuse # | Value | Circuit |
|--------|----------------|--------------------|
| F109 | 5A, 250V, SB | G.I. 4 Wht-Orn |
| F110 | 5A, 250V, SB | G.I. 1 Wht-Brn |
| F111 | 5A, 250V, SB | Flasher Secondary |
| F112 | 5A, 250V, SB | Solenoid Secondary |
| F113 | 5A, 250V, SB | +5V Logic |
| F114 | 8A, 32V, NB | +18V Lamp Martix |
| F115 | 3/4A, 250V, FB | +12V Switch Martix |
| F116 | 3A, 250V, SB | +12V Secondary |



A-14039 Dot Matrix Controller Ass'y

| Fuse # | Value | Circuit |
|--------|----------------|-------------|
| F601 | 3/8A, 250V, SB | 100 Vac Vio |
| F602 | 3/8A, 250V, SB | 100 Vac Vio |

A-15416 Extra Flpr Power Supply

(Only with 3 or more flippers)

| Fuse # | Value | Circuit |
|--------|--------------|------------------|
| F901 | 3A, 250V, SB | Upper Left Flpr |
| F902 | 3A, 250V, SB | Upper Right Flpr |



16-9182-4

WPC FUSE LIST

CAUTION
For continued protection against risk of fire, replace only with the same type of fuse having the same electrical ratings.

A-12738- AUDIO BOARD ASS'Y

| Fuse # | Value | Circuit |
|--------|--------------|-----------------------------|
| F501 | 3A, 250V, SB | 18 Vac CT Gry Gry/Wht CT |
| F502 | 3A, 250V, SB | 18 Vac CT Gry/Grn |

A-12697-1 Power Driver Board

| Fuse # | Value | Circuit |
|--------|--------------|-----------------|
| F101 | 3A, 250V, SB | Lwr Left Flpr |
| F102 | 3A, 250V, SB | Lwr Right Flpr |
| F103 | 3A, 250V, SB | Solenoids 25-28 |
| F104 | 3A, 250V, SB | Solenoids 9-16 |
| F105 | 3A, 250V, SB | Solenoids 1-8 |
| F106 | 5A, 250V, SB | G.I. 2 Wht-Vio |
| F107 | 5A, 250V, SB | G.I. 3 Wht-Yel |
| F108 | 5A, 250V, SB | G.I. 5 Wht-Grn |

| Fuse # | Value | Circuit |
|--------|----------------|--------------------|
| F109 | 5A, 250V, SB | G.I. 4 Wht-Orn |
| F110 | 5A, 250V, SB | G.I. 1 Wht-Brn |
| F111 | 5A, 250V, SB | Flasher Secondary |
| F112 | 7A, 250V, SB | Solenoid Secondary |
| F113 | 5A, 250V, SB | +5V Logic |
| F114 | 8A, 32V, NB | +18V Lamp Martix |
| F115 | 3/4A, 250V, FB | +12V Switch Martix |
| F116 | 3A, 250V, SB | +12V Secondary |



A-14039 Dot Matrix Controller Ass'y

| Fuse # | Value | Circuit |
|--------|----------------|-------------|
| F601 | 3/8A, 250V, SB | 100 Vac Vio |
| F602 | 3/8A, 250V, SB | 100 Vac Vio |

A-15416 Extra Flpr Power Supply

(Only with 3 or more flippers)

| Fuse # | Value | Circuit |
|--------|--------------|------------------|
| F901 | 3A, 250V, SB | Upper Left Flpr |
| F902 | 3A, 250V, SB | Upper Right Flpr |



16-9182-7

WPC FUSE LIST

CAUTION
For continued protection against risk of fire, replace only with the same type of fuse having the same electrical ratings.

AUDIO BOARD ASS'Y

| Fuse # | Value | Circuit |
|--------|--------------|---------------------------------|
| F501 | 3A, 250V, SB | 18 Vac CT Gry/Wht Gry/Wht CT |
| F502 | 3A, 250V, SB | 18 Vac CT Gry/Grn |

Power Driver Board

| Fuse # | Value | Circuit |
|--------|--------------|-----------------|
| F101 | 3A, 250V, SB | Lwr Left Flpr |
| F102 | 3A, 250V, SB | Lwr Right Flpr |
| F103 | 3A, 250V, SB | Solenoids 25-28 |
| F104 | 3A, 250V, SB | Solenoids 9-16 |
| F105 | 3A, 250V, SB | Solenoids 1-8 |
| F106 | 5A, 250V, SB | G.I. 2 Wht-Vio |
| F107 | 5A, 250V, SB | G.I. 3 Wht-Yel |
| F108 | 5A, 250V, SB | G.I. 5 Wht-Grn |




| Fuse # | Value | Circuit |
|--------|----------------|--------------------|
| F109 | 5A, 250V, SB | G.I. 4 Wht-Orn |
| F110 | 5A, 250V, SB | G.I. 1 Wht-Brn |
| F111 | 5A, 250V, SB | Flasher Secondary |
| F112 | 7A, 250V, SB | Solenoid Secondary |
| F113 | 5A, 250V, SB | +5V Logic |
| F114 | 8A, 32V, NB | +18V Lamp Martix |
| F115 | 3/4A, 250V, FB | +12V Switch Martix |
| F116 | 3A, 250V, SB | +12V Secondary |

Dot Matrix Controller Ass'y

| Fuse # | Value | Circuit |
|--------|----------------|-------------|
| F601 | 3/8A, 250V, SB | 100 Vac Vio |
| F602 | 3/8A, 250V, SB | 100 Vac Vio |

FLIPTRONICS II ASSY

| Fuse # | Value | Circuit |
|--------|--------------|------------------|
| F901 | 3A, 250V, SB | Upper Left Flpr |
| F902 | 3A, 250V, SB | Upper Right Flpr |
| F901 | 3A, 250V, SB | Lwr Left Flpr |
| F902 | 3A, 250V, SB | Lwr Right Flpr |



16-9182-8

Font used: Helvetica, HelveticaNeueLT Std Blk, HelveticaNeueLT Std Blk Cn.

Cards status:

- 16-9182-1 WPC fuse list confirmed (size 102 x 140 mm). Used paper size A4 (297x210mm).
 - 16-9182-2 WPC fuse list confirmed (size 98 x 150 mm). Used paper size A4 (297x210mm).
 - 16-9182-3 WPC fuse list confirmed (size 87 x 140 mm). Used paper size A4 (297x210mm).
 - 16-9182-4 WPC fuse list confirmed (size 405 x 37 mm). Used paper size 11x17 inch (43 x 28cm).
 - 16-9182-5 needed
 - 16-9182-6 needed
 - 16-9182-7 WPC fuse list confirmed (size 405 x 37 mm). Used paper size 11x17 inch (43 x 28cm).
 - 16-9182-8 WPC fuse list confirmed (size 405 x 37 mm). Used paper size 11x17 inch (43 x 28cm).
- If you have any other information about these cards, please send a readable picture or scan to me.

Enjoy and have fun,

Peter

www.inkochnito.nl

If you like my work, please send me a donation via Paypal.